


2009 Nissan Frontier



**Work hard.
Play even harder.**

Call it the extended play version. The Frontier Crew Cab Long Bed. Expansive room for five. A bed over 1.86 metres (6 ft.) long. And a desire to go and do whatever, wherever.



< A large, adaptable interior opens up a world of opportunities for you, your crew, and your gear.

Frontier features a strong, fully boxed frame boasting increased structural rigidity for improved dynamic performance.



< Nissan's exclusive Utili-track™ bed channel system gives Frontier one of the most innovative and flexible truck beds.

One of the most powerful mid-size trucks on the road, Frontier's 24-valve 4.0-L V6 cranks out 261 horsepower and 281 lb-ft of torque and 2949 kg (6500 lb) of towing capacity.

Cargo shown for display purposes only. Nissan recommends that all loose items be secured when transported. Cargo and load capacity limited by weight and distribution. Heavy loading of the SUV with cargo, especially on the roof, will affect the handling and stability of the vehicle.



2009 Nissan Frontier SE Crew Cab 4x2



PRICING

Base MSRP	\$30,048.00
Freight and PDE	\$1,500.00
Total MSRP	\$31,548.00
Taxes	\$3,785.76
Total	\$35,333.76

PACKAGES

Metallic/Pearl Paint	\$135.00
----------------------	----------

2009 Nissan Frontier XE King Cab 4x2



PRICING

Base MSRP	\$22,598.00
Freight and PDE	\$1,500.00
Total MSRP	\$24,098.00
Taxes	\$2,891.76
Total	\$26,989.76

PACKAGES

XE King Cab 4x2 Automatic Transmission Package	\$1,700.00
XE King Cab 4x2 Appearance Package	\$500.00
Metallic/Pearl Paint	\$135.00

2009 Nissan Frontier SE King Cab 4x2




PRICING

Base MSRP	\$26,248.00
Freight and PDE	\$1,500.00
Total MSRP	\$27,748.00
Taxes	\$3,329.76
Total	\$31,077.76

PACKAGES

Metallic/Pearl Paint	\$135.00
----------------------	----------

2009 Nissan Frontier SE Crew Cab 4x4



PRICING

Base MSRP	\$32,048.00
Freight and PDE	\$1,500.00
Total MSRP	\$33,548.00
Taxes	\$4,025.76
Total	\$37,573.76

PACKAGES

SE Crew Cab 4x4 Automatic Transmission Package	\$1,300.00
Metallic/Pearl Paint	\$135.00

2009 Nissan Frontier LE Crew Cab 4x4



PRICING

Base MSRP	\$39,198.00
Freight and PDE	\$1,500.00
Total MSRP	\$40,698.00
Taxes	\$4,883.76
Total	\$45,581.76

PACKAGES

LE Crew Cab Leather Package	\$1,400.00
Metallic/Pearl Paint	\$135.00

2009 Nissan Frontier PRO-4X Crew Cab 4x4



PRICING

Base MSRP	\$37,998.00
Freight and PDE	\$1,500.00
Total MSRP	\$39,498.00
Taxes	\$4,739.76
Total	\$44,237.76

PACKAGES

PRO-4X Crew Cab Leather Package	\$1,400.00
Metallic/Pearl Paint	\$135.00

2009 Nissan Frontier SE King Cab 4x4



PRICING

Base MSRP	\$28,148.00
Freight and PDE	\$1,500.00
Total MSRP	\$29,648.00
Taxes	\$3,557.76
Total	\$33,205.76

PACKAGES

SE King Cab 4x4 Automatic Transmission Package	\$1,300.00
Metallic/Pearl Paint	\$135.00

2009 Nissan Frontier PRO-4X King Cab 4x4



PRICING

Base MSRP	\$31,798.00
Freight and PDE	\$1,500.00
Total MSRP	\$33,298.00
Taxes	\$3,995.76
Total	\$37,293.76

PACKAGES

PRO-4X King Cab 4x4 Automatic Transmission Package	\$2,150.00
Metallic/Pearl Paint	\$135.00

2009 Nissan Frontier

Features and Specifications

Engine

	SE Crew Cab 4x2	SE Crew Cab 4x4	LE Crew Cab 4x4	PRO-4X Crew Cab 4x4
VQ40DE - 4.0-litre DOHC 24-valve V6 engine	S	S	S	S
Horsepower - 261 HP @ 5600 rpm	S	S	S	S
Torque - 281 lb-ft @ 4000 rpm	S	S	S	S
Emissions - LEV2 ULEV	S	S	S	S
Continuously Variable Valve Timing Control System (CVTCS)	S	S	S	S
Variable Intake System	S	S	S	S
Nissan Direct Ignition System with platinum-tipped spark plugs	S	S	S	S

Drivetrain

6-speed manual transmission (4x4)	S	S		
5-speed automatic transmission (4x2)	S	S		
5-speed automatic transmission (4x4)	O	O	S	S
Dana® 44 rear axle		S	S	
Switch-operated 2-speed transfer case (4x4 models only)	O	O	S	S
Electronic locking rear differential				S
2-wheel Limited Slip (ABLS) (4x2 models only)	S	S		
4-wheel Limited Slip (ABLS)		S	S	S
Vehicle Dynamic Control (VDC)		S	S	
Hill descent control and hill start assist		S	S	

Brakes

Front vented disc brakes/rear vented disc brakes	S	S	S	S
4-wheel Anti-lock Braking System (ABS)	S	S	S	S
Electronic Brake force Distribution (EBD)	S	S	S	S

Suspension and Steering

Front: Independent double-wishbone	S	S	S	S
Rear: Overslung multi-leaf with solid axle	S	S	S	S
PRO-4X Bilstein® off-road performance shock absorbers				S
Front stabilizer bar	S	S	S	S
Engine-speed-sensitive power-assisted rack-and-pinion steering	S	S	S	S

Styling

Standard Bed - 1511 mm (59.5")				S
Long Bed - 1861 mm (73.3")	S	S	S	
Skid plates (oil pan, fuel tank, 4x4 transfer case)				S
Automatic on/off headlights				S
Fog lights		S	S	
Roof rack with crossbars		S	S	
Step rails				S
Front tow hook	S	S	S	S
Splash guards	S	S	S	S
Chrome front bumper	S	S	S	

	SE Crew Cab 4x2	SE Crew Cab 4x4	LE Crew Cab 4x4	PRO-4X Crew Cab 4x4
Chrome grille	S	S	S	
Chrome rear bumper	S	S	S	
Body-colour front and rear bumper, grille, door handles and outside mirrors				S
Black door handles and mirrors	S	S		
Chrome door handles and outside mirrors				S
Dual heated power outside mirrors and rear privacy glass	S	S	S	S
Body-colour side mouldings				S
Utili-track™ Channel System with 4 tie-down cleats	S	S	S	S
Factory-applied spray-on bedliner and bed rail caps	S	S	S	S
Locking tailgate and cargo bed light	S	S	S	S
Power sliding glass moonroof with one-touch open/close			S	S
Rear defroster	S	S	S	S

Wheels and Tires

16" x 7" 5-spoke aluminum-alloy wheels	S	S		
16" x 7" 6-spoke machined-finish aluminum-alloy wheels				S
18" x 7.5" 12-spoke machined-finish aluminum-alloy wheels				S
P265/70R16 BFGoodrich® Long Trail T/A® OWL tires	S	S		
P265/75R16 BFGoodrich® Rugged Trail T/A® OWL tires				S
P265/60R18 BFGoodrich® Long Trail T/A® tires				S
Full-size spare tire	S	S	S	S
Tire Pressure Monitoring System (TPMS)	S	S	S	S

Interior features

Air conditioning	S	S	S	S
Bluetooth® Hands-Free Phone System				S
Power door locks with auto-locking feature	S	S	S	S
Power windows with front one-touch auto-down	S	S	S	S
Remote keyless entry	S	S	S	S
HomeLink® universal garage-door opener				S
Cruise control	S	S	S	S
Variable intermittent windshield wipers	S	S	S	S
Auto-dimming rearview mirror, digital compass, and outside temperature display				S
Front map lights, voltage and oil pressure gauges	S	S	S	S
Two 12-volt DC power outlets	S	S	S	S
Multi-functional trip computer				S
Dual sunvisors with extenders and dual visor vanity mirrors (illuminated on LE) and tilt steering column	S	S	S	S
First-aid kit				S

Seating/Appointments

8-way manual driver's seat with adjustable lumbar				S
---	--	--	--	---

2009 Nissan Frontier

Features and Specifications

	SE Crew Cab 4x2	SE Crew Cab 4x4	LE Crew Cab 4x4	PRO-4X Crew Cab 4x4
8-way power adjustable driver's seat	S	L		
4-way power adjustable passenger's seat	L	L		
Heated front seats	L	L		
Fold-flat front-passenger's seat (N/A with leather)	S	S	S	S
60/40 split flip-up rear bench seat	S	S	S	S
Cloth seat trim	S	S	S	
Leather seating surfaces		L		
PRO-4X embroidered leather seating surfaces			L	
Leather-wrapped steering wheel	S	S		
Second-row under-seat storage	S	S	S	S
Driver's seatback pocket	S	S	S	S
Rear seat centre armrest		L	L	
White-face gauges			S	
Four cup holders and front and rear door storage pockets	S	S	S	S
Overhead sunglasses storage	S	S	S	S

Audio systems

AM/FM/CD audio system	S	S		
Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer (380 watts)		S	S	
Steering-wheel-mounted audio controls		S	S	
Auxiliary audio input jack, Radio Data System (RDS) and MP3/WMA capability		S	S	
6 speakers	S	S		
10 speakers, including subwoofers		S	S	
XM™ Satellite Radio - includes activation and 3 months of service[6, 7]		S	S	

Safety features

Nissan Advanced Airbag System (AABS) with dual-stage supplemental front airbags with seat belt sensors and occupant-classification sensor	S	S	S	S
Driver and front passenger seat-mounted side-impact supplemental airbags	L	S		
Roof-mounted curtain supplemental airbags for side-impact and rollover protection		L	S	
3-point ALR/ELR passenger seat belt system (ELR for driver)	S	S	S	S
Active front head restraints	S	S	S	S
Front seat belts with pre-tensioners and load limiters	S	S	S	S
LATCH System (Lower Anchors and Tethers for CHildren)	S	S	S	S
Zone Body construction with front and rear crumple zones	S	S	S	S
Hood-buckling creases and energy-absorbing steering column	S	S	S	S
Pipe-style steel side-door guard beams	S	S	S	S
Anti-theft system and Immobilizer Key System	S	S	S	S

SE Crew Cab 4x2
SE Crew Cab 4x4
LE Crew Cab 4x4
PRO-4X Crew Cab 4x4

Curb weights

Curb Weights - kg (lb) - Manual transmission, 1973 (4350)	S			
Curb Weights - kg (lb) - Automatic transmission, 2064 (4550)	S			
Curb Weights - kg (lb) - Automatic transmission, 2070 (4565)	S			
Curb Weights - kg (lb) - Automatic transmission, 2070 (4564)	S			
Curb Weights - kg (lb) - Automatic transmission, 2127 (4690)	S			

Fuel economy

Manual Fuel Consumption Estimates - L/100 km (mpg) - City , 13.8 (20)	S			
Manual Fuel Consumption Estimates - L/100 km (mpg) - Hwy, 10.4 (27)	S			
Automatic Fuel Consumption Estimates - L/100 km (mpg) - City, 14.4 (20)	S			
Automatic Fuel Consumption Estimates - L/100 km (mpg) - City, 14.8 (19)	S	S	S	S
Automatic Fuel Consumption Estimates - L/100 km (mpg) - Hwy, 10.2 (28)	S			
Automatic Fuel Consumption Estimates - L/100 km (mpg) - Hwy, 10.6 (27)	S	S	S	S

Capacities

Interior passenger volume - L (cu. ft.), 2863 (101.1)	S	S	S	S
Fuel tank - L (Imp gal), 80 (18)	S	S	S	S
Maximum Payload - kg (lbs) - Manual transmission, 626 (1380)	S			
Maximum Payload - kg (lbs) - Automatic transmission, 506 (1116)	S			
Maximum Payload - kg (lbs) - Automatic transmission, 567 (1250)	S			
Maximum Payload - kg (lbs) - Automatic transmission, 470 (1036)	S			
Maximum Payload - kg (lbs) - Automatic transmission, 511 (1126)	S			
Maximum towing capacity - kg (lbs), 2767 (6100)	S	S	S	S

Dimensions

Minimum running ground clearance - mm (inches), 218-226 (8.6-8.9)	S	S	S	S
Angle of approach; V6 models (degrees), 30.5	S			
Angle of approach; V6 models (degrees), 32.6	S	S	S	S
Angle of departure; V6 models (degrees), 22.1	S			
Angle of departure; V6 models (degrees), 23.3	S	S	S	S
Ramp over angle (degrees), 19.5 - 20.6	S	S	S	S

Exterior dimensions - mm (In)

Wheelbase - mm (inches) - Regular/Long Bed , 3200 (125.9)/3554 (139.9)	S	S	S	S
Overall width - mm (inches) , 1850 (72.8)	S	S	S	S
Overall height - mm (inches), 1780-1879 (70.1-73.9)	S	S	S	S

SE Crew Cab 4x2
SE Crew Cab 4x4
LE Crew Cab 4x4
PRO-4X Crew Cab 4x4

2009 Nissan Frontier

Features and Specifications

Overall length - mm (inches) - Regular/Long Bed, 5220
(205.5)/5574 (219.4)

Track width - mm (inches), 1570 (61.8)

Bed length - mm (inches) - Regular/Long Bed, 1511 (59.5)/1861
(73.3)

Bed width - mm (inches), 1560 (61.4)

Bed depth - mm (inches), 457 (18.0)

Interior dimensions - mm (In)

Head room (front), 1017 (40.0)

Head room (rear), 983 (38.7)

Leg room (front), 1076 (42.4)

Leg room (rear), 854 (33.6)

Hip room (front), 1412 (55.6)

Hip room (rear), 1473 (58.0)

Shoulder room (front), 1480 (58.3)

Shoulder room (rear), 1481 (58.3)

SE Crew Cab 4x2
SE Crew Cab 4x4
LE Crew Cab 4x4
PRO-4X Crew Cab 4x4

S S S S

S S S S

S S S S

S S S S

S S S S

S S S S

S S S S

S S S S

S S S S

S S S S

S S S S

S S S S

S S S S

Legend

AP - Part of Appearance Package

AT - Part of PRO-4X Automatic Transmission Package

L - Part of Leather Package

O - Optional

S - Standard

Notes

® Dana is a registered trademark of Dana Corporation.

® Bilstein is a registered trademark of August-Bilstein GmbH & Co.

® BFGoodrich is a registered trademark of Goodrich Corporation.

® Rugged Trail T/A is a registered trademark of Uniroyal Goodrich Licensing Services, Inc.

® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under licence.

® HomeLink is a registered trademark of Johnson Controls, Inc.

XM™ Satellite Radio requires subscription sold separately.

2009 Nissan Frontier

Features and Specifications

Engine

	XE King Cab 4x2	SE King Cab 4x2	SE King Cab 4x4	PRO-4X King Cab 4x4
QR25DE - 2.5-litre DOHC 16-valve 4-cylinder engine	S			
Horsepower - 152 HP @ 5200 rpm	S			
Torque - 171 lb-ft @ 4400 rpm	S			
VQ40DE - 4.0-litre DOHC 24-valve V6 engine		S	S	S
Horsepower - 261 HP @ 5600 rpm		S	S	S
Torque - 281 lb-ft @ 4000 rpm		S	S	S
Emissions - LEV	S			
Emissions - LEV2 ULEV		S	S	S
Continuously Variable Valve Timing Control System (CVTCS)		S	S	S
Variable Intake System		S	S	S
Nissan Direct Ignition System with platinum-tipped spark plugs		S	S	S

Drivetrain

5-speed manual transmission	S			
6-speed manual transmission (4x4)		S	S	S
5-speed automatic transmission (4x2)	O	S	S	
5-speed automatic transmission (4x4)		O	O	O
Dana® 44 rear axle		S	S	
Switch-operated 2-speed transfer case (4x4 models only)		O	O	S
Electronic locking rear differential				S
4-wheel Limited Slip (ABLS)			S	S
Vehicle Dynamic Control (VDC)				AT
Hill descent control and hill start assist				AT

Brakes

Front vented disc brakes/rear vented disc brakes	S	S	S	S
4-wheel Anti-lock Braking System (ABS)	S	S	S	S
Electronic Brake force Distribution (EBD)	S	S	S	S

Suspension and Steering

Front: Independent double-wishbone	S	S	S	S
Rear: Overslung multi-leaf with solid axle	S	S	S	S
PRO-4X Bilstein® off-road performance shock absorbers				S
Front stabilizer bar	S	S	S	S
Engine-speed-sensitive power-assisted rack-and-pinion steering	S	S	S	S

Styling

Long Bed - 1861 mm (73.3")	S	S	S	S
Skid plates (oil pan, fuel tank, 4x4 transfer case)				S
Fog lights				S
Front tow hook		S	S	S
Splash guards	S	S	S	S
Upper body-colour/lower black front bumper	S			

	XE King Cab 4x2	SE King Cab 4x2	SE King Cab 4x4	PRO-4X King Cab 4x4
C chrome front bumper	AP	S	S	
Chrome grille	S	S	S	
Chrome rear bumper	S	S	S	
Black door handles and mirrors	S	S	S	S
Dual heated power outside mirrors and rear privacy glass	S	S	S	S
Uttli-track™ Channel System with 4 tie-down cleats				S
Factory-applied spray-on bedliner and bed rail caps				S
Locking tailgate and cargo bed light	S	S	S	S
Sliding rear window	S	S	S	S

Wheels and Tires

15" x 7" 6-spoke steel wheels	S			
16" x 7" 6-spoke steel wheels	AP			
16" x 7" 5-spoke aluminum-alloy wheels		S	S	
16" x 7" 6-spoke machined-finish aluminum-alloy wheels				S
P235/75R15 General Grabber™ all-season tires	S			
P265/70R16 BFGoodrich® Long Trail T/A® OWL tires	AP	S	S	
P265/75R16 BFGoodrich® Rugged Trail T/A® OWL tires				S
Full-size spare tire	S	S	S	S
Tire Pressure Monitoring System (TPMS)	S	S	S	S

Interior features

Air conditioning	S	S	S	S
Bluetooth® Hands-Free Phone System				S
Power door locks with auto-locking feature	S	S	S	S
Power windows with front one-touch auto-down	S	S	S	S
Remote keyless entry	S	S	S	S
Cruise control	S	S	S	S
Variable intermittent windshield wipers	S	S	S	S
Front map lights, voltage and oil pressure gauges	S	S	S	S
Two 12-volt DC power outlets	S	S	S	S
Multi-functional trip computer				S
Dual sunvisors with extenders and dual visor vanity mirrors (illuminated on LE) and tilt steering column	S	S	S	S
First-aid kit				S

Seating/Appointments

8-way manual driver's seat with adjustable lumbar	S		S	
8-way power adjustable driver's seat	L		L	
4-way power adjustable passenger's seat	L		L	
Heated front seats	L		L	
Fold-flat front-passenger's seat (N/A with leather)	S	S	S	S
Forward-facing rear flip-up seats	S	S	S	S
Cloth seat trim	S	S	S	

2009 Nissan Frontier

Features and Specifications

	XE King Cab 4x2	SE King Cab 4x2	SE King Cab 4x4	PRO-4X King Cab 4x4
PRO-4X cloth seat trim and manual transmission gear shifter with red stitching				S
PRO-4X embroidered leather seating surfaces				L
Leather-wrapped steering wheel				S
Second-row under-seat storage	S	S	S	S
Driver's seatback pocket				S
Rear seat centre armrest				L
White-face gauges				S
Four cup holders and front and rear door storage pockets	S	S	S	S
Overhead sunglasses storage				S

Audio systems

AM/FM/CD audio system	S	S	S	
AM/FM/in-dash 6-CD audio system				S
Steering-wheel-mounted audio controls				S
Auxiliary audio input jack, Radio Data System (RDS) and MP3/WMA capability				S
4 speakers	S	S	S	
6 speakers				S
XM™ Satellite Radio - includes activation and 3 months of service[6, 7]				S

Safety features

Nissan Advanced Airbag System (AABS) with dual-stage supplemental front airbags with seat belt sensors and occupant-classification sensor	S	S	S	S
Driver and front passenger seat-mounted side-impact supplemental airbags				S
Roof-mounted curtain supplemental airbags for side-impact and rollover protection				S
3-point ALR/ELR passenger seat belt system (ELR for driver)	S	S	S	S
Active front head restraints	S	S	S	S
Front seat belts with pre-tensioners and load limiters	S	S	S	S
LATCH System (Lower Anchors and Tethers for Children)	S	S	S	S
Zone Body construction with front and rear crumple zones	S	S	S	S
Hood-buckling creases and energy-absorbing steering column	S	S	S	S
Pipe-style steel side-door guard beams	S	S	S	S
Anti-theft system and Immobilizer Key System	S	S	S	S

Curb weights

Curb Weights - kg (lb) - Manual transmission, 1685 (3716)	S			
Curb Weights - kg (lb) - Manual transmission, 1945 (4288)		S		
Curb Weights - kg (lb) - Manual transmission, 1987 (4381)			S	
Curb Weights - kg (lb) - Automatic transmission, 1693 (3733)	S			

Curb Weights - kg (lb) - Automatic transmission, 1876 (4135)				S
Curb Weights - kg (lb) - Automatic transmission, 1952 (4304)				S
Curb Weights - kg (lb) - Automatic transmission, 1994 (4396)				S

Fuel economy

Manual Fuel Consumption Estimates - L/100 km (mpg) - City , 10.7 (26)				S
Manual Fuel Consumption Estimates - L/100 km (mpg) - City , 13.8 (20)				S S
Manual Fuel Consumption Estimates - L/100 km (mpg) - Hwy, 8.7 (32)				S
Manual Fuel Consumption Estimates - L/100 km (mpg) - Hwy, 10.4 (27)				S S
Automatic Fuel Consumption Estimates - L/100 km (mpg) - City, 12.6 (22)				S
Automatic Fuel Consumption Estimates - L/100 km (mpg) - City, 14.4 (20)				S
Automatic Fuel Consumption Estimates - L/100 km (mpg) - City, 14.8 (19)				S S
Automatic Fuel Consumption Estimates - L/100 km (mpg) - Hwy, 9.2 (31)				S
Automatic Fuel Consumption Estimates - L/100 km (mpg) - Hwy, 10.2 (28)				S
Automatic Fuel Consumption Estimates - L/100 km (mpg) - Hwy, 10.6 (27)				S S

Capacities

Interior passenger volume - L (cu. ft.), 2483 (87.7)				S S S
Interior passenger volume - L (cu. ft.), 2863 (101.1)				S
Fuel tank - L (Imp gal), 80 (18)				S S S S
Maximum Payload - kg (lbs) - Manual transmission, 439 (967)				S
Maximum Payload - kg (lbs) - Manual transmission, 660 (1455)				S
Maximum Payload - kg (lbs) - Manual transmission, 553 (1219)				S
Maximum Payload - kg (lbs) - Automatic transmission, 436 (960)				S
Maximum Payload - kg (lbs) - Automatic transmission, 636 (1402)				S
Maximum Payload - kg (lbs) - Automatic transmission, 629 (1386)				S
Maximum Payload - kg (lbs) - Automatic transmission, 546 (1204)				S
Maximum towing capacity - kg (lbs), 1588 (3500)				S
Maximum towing capacity - kg (lbs), 2949 (6500)				S
Maximum towing capacity - kg (lbs), 2858 (6300)				S S

Dimensions

Minimum running ground clearance - mm (inches), 193-226 (7.6-8.9)				S S S S
Angle of approach; V6 models (degrees), 30.5				S
Angle of approach; V6 models (degrees), 32.6				S S

2009 Nissan Frontier

Features and Specifications

	XE King Cab 4x2	SE King Cab 4x2	SE King Cab 4x4	PRO-4X King Cab 4x4
Angle of departure; V6 models (degrees), 22.1	S			
Angle of departure; V6 models (degrees), 23.3		S	S	
Ramp over angle (degrees), 19.5 - 20.6	S	S	S	S

Exterior dimensions - mm (In)

Wheelbase - mm (inches) - Regular/Long Bed , 3200 (125.9)	S	S	S	
Wheelbase - mm (inches) - Regular/Long Bed , 3200 (125.9)/3554 (139.9)				S
Overall width - mm (inches) , 1850 (72.8)	S	S	S	S
Overall height - mm (inches), 1745-1770 (68.7-69.7)	S	S	S	
Overall height - mm (inches), 1780-1879 (70.1-73.9)				S
Overall length - mm (inches) - Regular/Long Bed, 5220 (205.5)	S	S	S	S
Track width - mm (inches), 1570 (61.8)	S	S	S	S
Bed length - mm (inches) - Regular/Long Bed, 1861 (73.3)	S	S	S	S
Bed width - mm (inches), 1560 (61.4)	S	S	S	S
Bed depth - mm (inches), 457 (18.0)	S	S	S	S

Interior dimensions - mm (In)

Head room (front), 1010 (39.7)	S	S	S	S
Head room (rear), 973 (38.3)	S	S	S	S
Leg room (front), 1076 (42.4)	S	S	S	S
Leg room (rear), 644 (25.4)	S	S	S	S
Hip room (front), 1416 (55.8)	S	S	S	S
Hip room (rear), 1396 (55.0)	S	S	S	S
Shoulder room (front), 1480 (58.3)	S	S	S	S
Shoulder room (rear), 1394 (54.9)	S	S	S	S

Legend

- AP - Part of Appearance Package
- AT - Part of PRO-4X Automatic Transmission Package
- L - Part of Leather Package
- O - Optional
- S - Standard

Notes

- ® Dana is a registered trademark of Dana Corporation.
- ® Bilstein is a registered trademark of August-Bilstein GmbH & Co.
- ™ General Grabber is a trademark of General Tire and Rubber
- ® BFGoodrich is a registered trademark of Goodrich Corporation.
- ® Rugged Trail T/A is a registered trademark of Uniroyal Goodrich Licensing Services, Inc.
- ® The Bluetooth word mark and logos are owned by Bluetooth SIG,

Inc., and any use of such marks by Nissan is under licence.
XM™ Satellite Radio requires subscription sold separately.



Nissan Brochure

MAXIMA



ROGUE



MURANO



TITAN



ALTIMA



QUEST



XTERRA



FRONTIER



SENTRA



350Z



PATHFINDER



ARMADA



VERSA HATCHBACK



VERSA SEDAN



ALL ROADS LEAD TO
Campus
www.CampusCars.net



Campus Nissan
3361 Oak Street
Victoria, BC V8X 1R2
Tel: 250-475-2227
Fax: 250-475-2237
www.CampusNissan.com